



Gruppo Italiano Discussione Risonanze Magnetiche

Under the auspice of:
Gruppo Interdivisionale Risonanze Magnetiche (SCI)

Porto Conte 2004




University
of Sassari

CNR



University
of Cagliari

Porto Conte
Ricerche



XXXIV NATIONAL CONGRESS ON MAGNETIC RESONANCE

Porto Conte Ricerche September 21-24, 2004
Tramariglio (Alghero) - Sardegna (Italy)

www.gidrm.org

NICKEL INTERACTION WITH METAL BINDING SEQUENCES OF HISTONE H4

Maria Antonietta Zoroddu^{a*}, Massimiliano Peana^a, Serenella Medici^a, Max Costa^b

^a *Department of Chemistry, University of Sassari, Via Vienna 2, 07100, Sassari, Italy.* ^b *Department of Environmental Medicine, New York University, New York, USA*

Nickel compounds are well known as human carcinogens.[1] The leading concepts in nickel carcinogenesis involves oxidative promutagenic DNA damage and epigenetic effects in chromatin resulting from nickel binding inside the cell nucleus.[2-5] The nuclear proteins, and in particular the most abundant among them, the histones, are able to compete for metal ions with even higher affinity metal binding sites in other less abundant nuclear proteins or smaller molecules. Phagocytosis of insoluble particles of Ni₃S₂ by either macrophages or epithelial cells causes buildup of very high levels of nickel inside the cells after its intracellular dissolution catalyzed by the acidic pH of endocytic vacuoles, thus providing a continuous source of Ni(II) ions.[6]

We investigated the issue of Ni(II) binding within the histone octamer. Using histone sequences in conjunction with the structural data we identified a binding site for Ni(II) ions located in the N-terminal tail of the histone H4.

References

- [1] IARC, Lyon, France Monographs on the evaluation of carcinogenic risks to humans. Chromium, Nickel and Welding, 1990, Vol. 49
- [2] K. Salnikow, S. Cosentino, C. Klein and M. Costa, Mol. Cell. Biol., 1994, 14, 851
- [3] W.Bal, V.Karantza, E.N.Mondriakis, K.S. Kaprzak, Arch.Biochem. Biophys. 1999, 364, 161
- [4] L. Broday, W. Peng, K. Salnikow, M.A. Zoroddu, M.Costa, Cancer Res. 2000, 60, 238
- [5] W.Bal, R.Liang, J.Lukszo, S. Lee, M.Dizdaroglu, K.S. Kaprzak, ChemRes. Toxicol. 2000, 13,616
- [6] R.M.Evans, P.J.Davies, M.Costa, Cancer Res. 1982, 42, 2729